

WEEKLY POOL/ SPA OPERATION REPORT

Week beginning: _____

Design-use data sheet/approved plans; pre-op insp. report

Pool/ Spa Surface Area (sq)

Required Turnover Rate (gpm)

Max allow flow (gpm)

Name of facility

Address: Number & Street

City

County

Type
 Outdoor
 Pool
 Wading pool
 Indoor
 Dive Well
 Spa

Special Use Pool

Special Feature

- Flume slide
- Rec. slide
- Speed slide
- Drop slide
- Kiddie slide
- Rain drop
- Wet Deck
- Other _____

CHEMICAL READINGS: First reading at opening

CHEMICAL ADJUSTMENTS/MAINTENANCE: # = lbs; g = gals

| Op = operator initials | | TC | | FC | | CC | | Water Temp ^o F | Water Clarity | Total Alkalinity | Cyanuric Acid | Total Dissolved solids | ORP | Disinfectant | Super Chlor. | Acid | Flow meter (gpm) | Press/ Vac. gauge (psi) | Filter backwash | Pool Drained | Air Temp ^o F | Weather | Bather load |
|------------------------|------------|------------|------------|------------|------------|------------|------------|---------------------------|---------------|------------------|---------------|------------------------|-----|--------------|--------------|------|------------------|-------------------------|-----------------|--------------|-------------------------|---------|-------------|
| Total Chlor 1 TBromine | Free Chlor | Free Chlor | Comb Chlor | Free Chlor | Comb Chlor | Free Chlor | Comb Chlor | | | | | | | | | | | | | | | | |
| Sunday | | | | | | | | | | | | | | | | | | | | | | | |
| date: | Op | | | | | | | | | | | | | | | | | | | | | | |
| | am | | | | | | | | | | | | | | | | | | | | | | |
| | pm | | | | | | | | | | | | | | | | | | | | | | |
| | pH | | | | | | | | | | | | | | | | | | | | | | |
| Monday | | | | | | | | | | | | | | | | | | | | | | | |
| date: | Op | | | | | | | | | | | | | | | | | | | | | | |
| | am | | | | | | | | | | | | | | | | | | | | | | |
| | pm | | | | | | | | | | | | | | | | | | | | | | |
| | pH | | | | | | | | | | | | | | | | | | | | | | |
| Tuesday | | | | | | | | | | | | | | | | | | | | | | | |
| date: | Op | | | | | | | | | | | | | | | | | | | | | | |
| | am | | | | | | | | | | | | | | | | | | | | | | |
| | pm | | | | | | | | | | | | | | | | | | | | | | |
| | pH | | | | | | | | | | | | | | | | | | | | | | |
| Wednesday | | | | | | | | | | | | | | | | | | | | | | | |
| date: | Op | | | | | | | | | | | | | | | | | | | | | | |
| | am | | | | | | | | | | | | | | | | | | | | | | |
| | pm | | | | | | | | | | | | | | | | | | | | | | |
| | pH | | | | | | | | | | | | | | | | | | | | | | |
| Thursday | | | | | | | | | | | | | | | | | | | | | | | |
| date: | Op | | | | | | | | | | | | | | | | | | | | | | |
| | am | | | | | | | | | | | | | | | | | | | | | | |
| | pm | | | | | | | | | | | | | | | | | | | | | | |
| | pH | | | | | | | | | | | | | | | | | | | | | | |
| Friday | | | | | | | | | | | | | | | | | | | | | | | |
| date: | Op | | | | | | | | | | | | | | | | | | | | | | |
| | am | | | | | | | | | | | | | | | | | | | | | | |
| | pm | | | | | | | | | | | | | | | | | | | | | | |
| | pH | | | | | | | | | | | | | | | | | | | | | | |
| Saturday | | | | | | | | | | | | | | | | | | | | | | | |
| date: | Op | | | | | | | | | | | | | | | | | | | | | | |
| | am | | | | | | | | | | | | | | | | | | | | | | |
| | pm | | | | | | | | | | | | | | | | | | | | | | |
| | pH | | | | | | | | | | | | | | | | | | | | | | |

